



Windshield Washer Fluid

Issue Date 10.1.2019

SECTION 1: Identification of Substance/mixture and of the manufacturer

1.1 - Product Identifier

Product Form : Liquid
Substance Name : Windshield Washer
CAS No. : See below
Product Code : N/A
Formula : N/A
Synonyms : N/A

1.2 - Relevant/Identified Uses

Use of Substance : glass cleaner, detergent

1.3 - Supplier Details

Company: Huerta Chemical
2360 West 78th Street
Hialeah, Florida U.S.A. 33016
Phone No: (305) 825-7076
Telefax: (305) 499-825-7839

1.4 Emergency Phone Number

For Emergencies call 305-825-7076

SECTION 2: Hazard Identification

2.1 - Classification of substance or mixture

GHS-US Classification
Acute toxicity, oral - Cat 4
Skin corrosion/irritation - Cat 1B
Serious eye damage/eye irritation - Cat 1C

2.2 Label Elements

Hazard Pictograms



Signal Word

: **DANGER**

Hazard Statements

H302: Harmful if swallowed
H313: May be harmful in contact with skin

Precautionary Statements

P301: IF SWALLOWED: Call a POISON CENTER/ doctor
P301+330+331: IF SWALLOWED: Rinse mouth.
Do NOT induce vomiting.
P302+352: IF ON SKIN: Wash with plenty of water
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do –continue rinsing.
P501: Dispose of contents/container in accordance with local/regional/national/international regulation



Windshield Washer Fluid

Issue Date 10.1.2019

2.3 - Other Hazards

Other Hazards : None

2.4 Unknown Acute Toxicity

: None

SECTION 3: Composition

3.1 Substances

Name	CAS#	Percentage
Substance Considered CBI		<1%
Substance Considered CBI		<1%
Water	7732-28-5	99.88%

SECTION 4: First Aid

4.1 Description of First Aid Measures

General

Inhalation If difficulties occur after vapors/ aerosol has been inhaled, move to fresh air.

Skin Contact May cause burn. Wash affected areas thoroughly with soap and water.

Remove contaminated clothing. Contact physician.

Eye Contact May cause burn. Rinse eyes for at least 15 minutes under running water with eyelids wide open. Remove contacts lenses if present and easy to do. Immediately contact a poison center or physician.

Ingestion Rinse mouth and then drink plenty of water. DO NOT induce vomiting and contact a poison center or physician.

4.2 Symptoms

N/A :

4.3 Indication of immediate medical attention

N/A :

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable Methods Water, Carbon Dioxide, Alcohol Foam or Dry Chemical

Unsuitable Methods

5.2 Special Hazards

5.3 Firefighter Information

Fire fighters should be equipped with self-contained breathing apparatus and turn out gear.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions

Ventilate enclosed areas. Do not touch damaged containers or spilled materials unless wearing protective clothing.

6.2 Environmental Precautions

Do not discharge into drains/surface water/ground water / sewers.



Windshield Washer Fluid

Issue Date 10.1.2019

10.5 Incompatible Materials

No Data Available

10.6 Hazardous Decomposition Products

No Data Available

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute toxicity:

Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: dust, mist: Harmful if inhaled.

methanol (67-56-1)	
LD50 oral rat	>5,000 mg/kg(1187-2769 mg/kgbodyweight; Rat; Rat)
LD50 dermal rabbit	15,800 mg/kg(Rabbit)
LC50 inhalation rat (mg/l)	85 mg/l/4h(Rat)
LC50 inhalation rat (ppm)	64,000 ppm/4h(Rat)
ATE US (oral)	• 100 mg/kg bodyweight
ATE US (dermal)	300 mg/kg bodyweight
ATE US (gases)	700 ppmv/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	1 mg/l/4h

Skin corrosion/irritation:	Not classified
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
Specific target organ toxicity (single version):	Causes damage to
Specific target organ toxicity (repeated exposure):	Not classified
Aspiration hazard:	Not classified
Symptoms/injuries after inhalation:	May cause irritation of the nose and throat. High concentrations may cause central nervous system depression characterized by severe headaches, dizziness, nausea and confusion.
Symptoms/injuries after skin contact:	Prolonged exposure to skin may cause skin irritation experienced as burning, dryness, cracking and redness.
Symptoms/injuries after eye contact:	May cause severe irritation
Symptoms/injuries after ingestion:	May cause nausea, abdominal pain, headache, shortness of breath.

